Plant Pathology

A record of current work on plant diseases and pests

INDEX

VOLUME 5 1956

Author : *pages* ii–iii

Subject : *pages* iv–vii

LONDON : HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

AGRICULTURAL BRANCH, METEOROLOGICAL OFFICE. The Weather of England and Wales, 36–7, 112–3.

BATTS, C. C. V. Infection of Wheat by Ergot from Black Grass, 76.

BEVAN, W. J. and BRYDEN, J. W. The Control of Wireworm in Potatoes by Aldrin, 9–11.

BEVAN, W. J. (*joint author*), see Thomas, J. D., 115–9.

BOYD, A. E. W. and WHITE, G. R. Effect of Potash on the Internal Blackening of Potatoes, 107–9.

BROCK, ADELINE M. Observations on the Biology of the Black Currant Sawfly, 144–6.

BROWN, E. B. and GOODEY, J. B. Observations on a Race of Stem Eelworm attacking Lucerne, 28–9.

BROWN, E. B. and MASON, E. CHRISTINE. Unusual Hosts of the Chrysanthemum Eelworm, 151.

BRYDEN, J. W. (*joint author*), see Bevan, W. J., 9–11.

CARDEN, P. W. Control of the Hop-Damson Aphid with Dimefox, 110–1.

CHEAL, W. F. and TAYLOR, R. ERIC. Hop Canker and " Grassing Down ", 75.

CHURCH, B. M., WESTMACOTT, M. H. and JACOB, F. H. Survey of Rabbit Damage to Winter Cereals, 1953–54, 66–9.

CLARK, MARJORIE R. M. and PATON, A. M. A New Bacterial Disease of Dahlias caused by *Pseudomonas marginalis*, 32–5.

CLAYSON, ANGELA M. and ROBERTSON, N. F. Survival of *Phytophthora infestans* in Potato Stem Lesions, 30–1.

DAY, P. R., JENKINS, J. E. E. and WILCOX, H. J. A Search for Resistance to *Didymella lycopersici* in the Tomato, 150–1.

DOWSON, W. J. (*joint author*), see Keyworth, W. G., 88–90.

EDWARDS, C. A. Leatherjackets on Lettuce, 76.

EMPSON, D. W. Cocksfoot Moth Investigations, 12–8.

ENGLISH, W. S. (*joint author*), see Glasscock, H. H., 97–8.

FIDLER, J. H. A Method of Estimating Cyst Contents with Mixed Batches of *Heterodera* spp., 90–2.

GAIR, R. and GUILE, C. T. Vetch Leaf Midge in the East Midlands, 69–72.

GEORGE, K. S. and SOUTHEY, J. F. Tulip Eelworm Surveys in 1955, 77–82.

GLASSCOCK, H. H. and ENGLISH, W. S. Control of Black Currant Leaf Spot by Spraying with Oil–Bordeaux Mixture, 97–8.

GOODEY, J. B. (*joint author*), see Brown, E. B., 28–9.

GOULD, H. J. Damage to Tomato Roots by BHC, 105.

GRIFFIN, DOREEN E., LUBATTI, O. F. and HARRISON, I. R. Effect of Methyl Bromide Fumigation on Orchids, 53–6.

GRIFFITHS, D. J. and PEREGRINE, W. T. H. Halo Blight of Oats, 95–7.

GUILE, C. T. (*joint author*), see Gair, R., 69–72.

HARRISON, B. D. A Strain of Tobacco Mosaic Virus infecting *Plantago* spp. in Scotland, 147–8.

HARRISON, I. R. Control of Bulb Scale Mite in Narcissus, 127–9.

HARRISON, I. R. (*joint author*), see Griffin, Doreen E., 53–6.

HEBBLETHWAITE, P. A Colorimetric Method for measuring Dosage Distribution in Potato Spraying, 26–8.

HIRST, J. M. and STEDMAN, O. J. The Effect of Height of Observation in Forecasting Potato Blight by Beaumont's Method, 135–40.

HOLLINGS, M. *Chenopodium amaranticolor* as a Test Plant for Plant Viruses, 57–60.

HOWELL, J. SHEILA (*joint author*), see Keyworth, W. G., 88–90.

HULL, R. Sugar Beet Yellows in Great Britain, 1955, 130.

IVES, JUNE V. (*joint author*), see Storey, I. F., 1–8.

JACOB, F. H. (*joint author*), see Church, B. M., 66–9.

JENKINS, J. E. E. (*joint author*), see Day, P. R., 150–1.

JOHNSON, BRUCE. The Influence on Aphids of the Glandular Hairs on Tomato Plants, 131–2.

JONES, MOYRA (*joint author*), see Rosser, W. R., 148–9.

KEYWORTH, W. G., HOWELL, J. SHEILA and DOWSON, W. J. *Corynebacterium betae* (sp. nov.) the Causal Organism of Silvering Disease of Red Beet, 88–90.

LARGE, E. C. Potato Blight Forecasting and Survey Work in England and Wales, 1953–55, 39–52.

LAWTON, R. Observations on the Wheat Stem Fly with Special Reference to Oviposition, 123–7.

LEGOWSKI, T. J. Clover Seed Weevil Damage in East Anglia, 99–105.

LELLIOTT, R. A. Slow Wilt of Carnations caused by a Species of Erwinia, 19–23.

LESTER, E. Stem End Hard Rot of Potato, 114.

LUBATTI, O. F. (*joint author*), see Griffin, Doreen E., 53–6.

MASON, E. CHRISTINE (*joint author*), see Brown, E. B., 151.

MILES, MARY. Carrot Fly as a Pest of Lettuce, 152.

MILLER, E. J. A Note on Mercury Spray Residues in Apples, 119–21.

MORGAN, H. G. Root-knot Eelworm on *Chrysanthemum maximum*, 75.

OGILVIE, L. *Mycosphaerella fragariae* on Strawberry Fruits, 37.

OGILVIE, L. (*joint author*), see Wehrle, Valerie M., 106–7.

PATON, A. M. (*joint author*), see Clark, Marjorie R. M., 32–5.

PEREGRINE, W. T. H. (*joint author*), see Griffiths, D. J., 95–7.

RICHARDSON, D. E. and TINSLEY, T. W. Lucerne Mosaic Virus in Potato—a New Record for the British Isles, 133–4.

ROBERTS, E. T. Control of *Stemphylium radicinum* on Carrot Seeds, 122.

ROBERTSON, N. F. (*joint author*), see Clayson, Angela M., 30–1.

ROGERSON, J. P. *Rhopalosiphoninus ribesinus* on Black Currant, 152.

ROSBOROUGH, T. Further Experiments in Turnip Gall Weevil Control, 111.

ROSSER, W. R. and JONES, MOYRA. A Potato Gangrene Trial in the West Midlands, 148–9.

SCHOFIELD, ELIZABETH R. (*joint author*), see Taylor, R. Eric, 94.

SHAW, M. W. *Lampronia capitella* in Scotland, 75.

SIMMONDS, S. P. *Eriosoma patchae* on Cinerarias, 76.

SMITH, L. P. Potato Blight Forecasting by 90 per cent Humidity Criteria, 83–7.

SOUTHEY, J. F. (*joint author*), see George, K. S., 77–82.

STEDMAN, O. J. (*joint author*), see Hirst, J. M., 135–40.

STONE, L. E. W. Cereal Root Eelworm : A Farm Survey, 24–5.

STONE, L. E. W. Eelworm in Coleus, 75.

STONE, L. E. W. Root-knot Eelworm on *Lobelia fulgens*, 76.

STONE, L. E. W. Control of Carrot Fly on Carrots and Parsnips, 141–3.

STOREY, I. F. and IVES, JUNE V. Spraying Practice against Apple Scab on Bramley's Seedling in the Wisbech Area, in 1953 and 1954, 1–8.

STROYAN, H. L. G. The Red-gall *Sappaphis* Species on Apple, 93.

TAYLOR, R. ERIC and SCHOFIELD, ELIZABETH R. An Observation on Loose Ear of Wheat, 94.

TAYLOR, R. ERIC (*joint author*), see Cheal, W. F., 75.

THOMAS, J. D. and BEVAN, W. J. Investigations into the Control of Carrot Fly on Celery, 115–9.

THOMAS, P. R. Estimation of Beet Eelworm and Cabbage Root Eelworm by Hatching Responses in Host Plant Diffusates, 62–5.

THOMAS, P. R. Cabbage Root Fly damaging Growing Points of Stocks, 114.

TINSLEY, T. W. (*joint author*), see Richardson, D. E., 133–4.

WEHRLE, VALERIE M. and OGILVIE, L. Spread of Take-all from Infected Wheat Plants, 106–7.

WESTMACOTT, M. H. (*joint author*), see Church, B. M., 66–9.

WHITE, G. R. (*joint author*), see Boyd, A. E. W., 107–9.

WIGGELL, D. Control of White Rot in Onions, 60–1.

WILCOX, H. J. (*joint author*), see Day, P. R., 150–1.

WOODVILLE, H. C. Further Experiments on the Control of Bulb Fly in Narcissus, 73–4.

(68687) A 2

SUBJECT INDEX

Aldrin for Control of :
Bulb Fly in Narcissus, 73.
Carrot Fly on Carrots and Parsnips, 142.
Carrot Fly on Celery, 115.
Slugs on Potatoes, 11.
Turnip Gall Weevil, 111.
Wireworm in Potatoes, 9.
Alopecurus myosuroides, 76.
Anchusa myosotidiflora, 151.
Anthocoris nemorum, 146.
Anthriscus sylvestris, 93.
Aphelenchoides ritzema-bosi, 75, 151.
Aphids : Influence of, on Glandular Hairs of Tomato Plants, 131.
Aphis craccivora, 131.
Aphis fabae, 130.
Apion spp., 99.
Apple Mildew Control, 3.
Apple Scab : Mills Infection Periods, 5 ; Spraying Practice on Bramley's Seedling in the Wisbech Area, 1953 and 1954, 1.
Apples : Organo-mercury Spray Residues, 119 ; the Red-gall *Sappaphis* Species on, 93.

Beet Eelworm and Cabbage Root Eelworm : Estimation by Hatching Responses in Host Plant Diffusates, 62.
Beta vulgaris, 88.
BHC Damage to Tomato Roots, 105.
BHC for Control of :
Cocksfoot Moth, 18.
Turnip Gall Weevil, 111.
Wireworm in Potatoes, 9.
Black Currant Sawfly : Biology of, 144.
Black Currants :
Control of Leaf Spot by Oil-Bordeaux Mixture, 97.
Lampronia capitella a Pest in Scotland, 75.
Rhopalosiphoninus ribesinus on, 152.
Bordeaux Mixture for Control of Apple Scab, 2.
Bulb Scale Mite in Narcissus, 127.

Cabbage Root Fly damaging Growing Points of Stocks, 114.
Callistephus chinensis, 151.
Calomel Dust for Control of White Rot in Onions, 60.
Captan for Control of Apple Scab, 2.
Carnations : Bacterial Wilt, 19 ; Slow Wilt caused by a Species of Erwinia, 19.
Carrot Fly :
As a Pest of Lettuce, 152.
Control on Carrots and Parsnips, 141.
Control on Celery, 115.
Carrots : Control of Carrot Fly on, 141 ; Control of *Stemphylium radicinum* on Seeds, 122.
Cattleya spp., 54.
Celery : Control of Carrot Fly on, 115.
Cereal Root Eelworm : a Farm Survey, 24.
Ceuthorhynchus pleurostigma, 111.
Chenopodium amaranticolor as a Test Plant for Plant Viruses, 57.
Chlordane for Control of Bulb Fly in Narcissus, 74.
Choerophyllum temulum, 93.
Chrysanthemum Eelworm : Unusual Hosts of, 151.
Chrysanthemum maximum, 75.
Cinerarias : *Eriosoma patchae* on, 76.
Clinodiplosis sp., 72.
Clover Seed Weevil Damage in East Anglia, 99.
Cocksfoot Moth Investigations, 12.
Coleus : Eelworm in, 75.
Corynebacterium betae sp. nov., 88.
"Cow Gum" : Use in Measuring Spray Dosage, 26.
Cymbidium spp., 54.
Cypripedium spp., 54.

Dactylis glomerata, 13.
Dahlias : a New Bacterial Disease of, caused by *Pseudomonas marginalis*, 32.
Dasyneura viciae, 69.
DDT for Control of :
Clover Seed Weevil, 100.
Cocksfoot Moth, 18.
Lucerne Weevil, 71.
Vetch Leaf Midge, 71.
Dendrobium spp., 54.
Didymella lycopersici, 150.

Dieldrin for Control of:
Bulb Fly in Narcissus, 73.
Carrot Fly on Carrots and Parsnips, 142.
Carrot Fly on Celery, 115.
Turnip Gall Weevil, 111.
Vetch Leaf Midge, 71.
Dimefox for Control of : Bulb Scale Mite in Narcissus, 127 ; Hop-Damson Aphid, 110.
Ditylenchus dipsaci, 28, 77.
Dromius sp., 16.

Eelworm :
Beet, 62.
Cabbage Root, 62.
Cereal Root, 24.
Chrysanthemum, 151.
In Alsike Clover, 28.
In *Chrysanthemum maximum*, 75.
In Coleus, 75.
In *Lobelia fulgens*, 76.
In Lucerne, 28.
In Oats, 28.
Potato Root, 90.
Ergot from Black Grass : Infection of Wheat by, 76.
Erioischia brassicae, 114, 125.
Eriosoma patchae, 76.
Erwinia carotovora, 23.
Erwinia chrysanthemi, 23.

Fluoracetanilide for Control of Bulb Scale Mite in Narcissus, 127.
Forecasting :
Grid for Reading Off Beaumont Periods from Thermograph Charts, 137.
Potato Blight, 39, 83.
Potato Blight, Effect of Height of Observation in Forecasting by Beaumont's Method, 135.
Formaldehyde for Control of Halo Blight of Oats, 96.

Gamma-BHC for Control of : Carrot Fly on Carrots and Parsnips, 141 ; Carrot Fly on Celery, 115.
Gibberella pulicaris, 75.
Glyphicnemis (*Eudasys*) *brevis*, 146.
Glyphipterix fischeriella, 12.

Halo Blight of Oats, 95.
Heterodera cruciferae, 62.
Heterodera major, 24, 91.
Heterodera rostochiensis, 90.
Heterodera schachtii, 62.
Heterodera spp., Method of Estimating Cyst Contents with Mixed Batches, 90.
Hop Canker and " Grassing Down ", 75.
Hop-Damson Aphid, 110.
Hot-water Treatment :
Broccoli Seed, 122.
Carrot Seed, 122.
Celery Leaf Spot, 122.

Index of Taxonomic Specialists in Entomology, 146.
International Plant Protection Congress, 1957, 94.

Lampronia capitella, 75.
Leatherjackets on Lettuce, 76.
Leptohylemyia coarctata, 123.
Lestodiplosis sp., 72.
Lettuce, Carrot Fly on, 152 ; Leatherjackets on, 76.
Lime Sulphur for Control of : Apple Mildew, 3 ; Apple Scab, 2.
Lobelia fulgens, 76.
Loose Ear of Wheat, 94.
Losses caused by :
Black Rust of Wheat, 38.
Potato Blight, 41.
Rabbit Damage, 66.
Sugar Beet Yellows, 130.
Lucerne : A Race of Stem Eelworm attacking, 28.
Lucerne Mosaic Virus : in Other Hosts, 133 ; in Potato, 133.
Lycopersicon esculentum, 150.
Lycopersicon glandulosum, 150.
Lycopersicon hirsutum, 150.
Lycopersicon peruvianum, 150.
Lycopersicon pimpinellifolium, 150.

Macrolabis sp., 72.
Macrosiphum solanifolii, 131.
Malathion for Control of Vetch Leaf Midge, 71.
Melilotus alba, 28.

Meloidogyne hapla, 75, 76.
Mercury Spray Residues in Apples, 119.
Merodon equestris, 73.
Methyl Bromide for Fumigation of Orchids, 53.
Miltonia spp., 54.
Mipafox for Control of Bulb Scale Mite in Narcissus, 127.
Mycosphaerella fragariae, 37.
Myxomatosis, 66.
Myzus persicae, 130, 131, 134.

Narcissus : Control of Bulb Fly, 73 ; Control of Bulb Scale Mite in, 127.
Nematus olfaciens, 144.
New or Uncommon Plant Diseases and Pests, 37, 75, 114, 151.
Nigrosine : Use in Measuring Spray Dosage, 26.

Oats : Halo Blight, 95.
Odontoglossum spp., 54.
Oil-Bordeaux Mixture for Control of Black Currant Leaf Spot, 97.
Oncidium spp., 54.
Onions : Control of White Rot in, 60.
Ophiobolus graminis, 106.
Orchids : Effect of Methyl Bromide Fumigation on, 53.
Organo-mercurial Preparations for Control of : Apple Mildew, 3 ; Apple Scab, 2.
Organo-mercury Compounds : Spray Residues on Apples, 119.

Parsnips : Control of Carrot Fly on, 141.
Peperomia sandersii, 151.
Pest Assessment : Wireworm in Potatoes, 9.
Phaenocarpa pullata, 125.
Phoma foveata, 148.
Phomopsis tuberivora, 114.
Phorbia genitalis, 123.
Phorodon humuli, 110.
Phytonomus posticus, 71.
Phytophthora infestans, 30, 39, 83, 135.
Plantago lanceolata, 147.
Plantago major, 147.
Plantains : A Strain of Tobacco Mosaic Virus infecting, 147.
Podosphaera leucotricha, 3.
Potash : Effect on Internal Blackening of Potatoes, 107.
Potatoes :
Blight Forecasting, 135.
Blight Forecasting and Survey Work in England and Wales, 1953–55, 39.
Blight Forecasting by 90 per cent Humidity Criteria, 83.
Colorimetric Method for Measuring Dosage Distribution in Potato Spraying, 26.
Effect of Potash on Internal Blackening, 107.
Gangrene Trial in the West Midlands, 148.
Lucerne Mosaic Virus in, 133.
Root Eelworm, 90.
Slug Damage, 11.
Stem End Hard Rot, 114.
Survival of *Phytophthora infestans* in Stem Lesions, 30.
Wireworm Control, 9.
Prosactogaster demades, 72.
Pseudomonas caryophylli, 19.
Pseudomonas coronafaciens, 95.
Pseudomonas marginalis, 32.
Pseudopeziza ribis, 97.
Psila nigricornis, 152.
Psila rosae, 115, 141, 152.
Puccinia graminis, 38.

Rabbit Damage to Winter Cereals, 1953–54, 66.
Red Beet : Silvering Disease caused by *Corynebacterium betae*, 88.
Rhopalosiphoninus ribesinus, 152.
Rumex spp., 93.

Sappaphis anthrisci, 93.
Sappaphis brancoi, 93.
Sappaphis choerophylli, 93.
Sappaphis devecta, 93.
Sappaphis radicola, 93.
Schradan for Control of Bulb Scale Mite in Narcissus, 127.
Sclerotium cepivorum, 60.
Slow Wilt of Carnations, 19.
Slug Damage to Potatoes, 11.
Solanum nigrum, 151.
Spore Trapping : Apple Scab, 4.
Stemphylium radicinum : Control on Carrot Seeds, 122.
Stocks : Damage to Growing Points by Cabbage Root Fly, 114.
Strawberry : Black Seed Disease of Fruits, 37.
Streptomycin : Use in Control of a Bacterial Disease of Dahlias, 35.

Sugar Beet : Losses due to Virus Yellows, 1955, 130.
Surveys :
Apple Scab in Wisbech Area, 3.
Cereal Root Eelworm, 24.
Cocksfoot Moth, 15.
Potato Blight, 39.
Rabbit Damage to Winter Cereals, 66.
Tulip Eelworm, 77.

Take-all : Spread from Infected Wheat Plants, 106.
Tarsonemus laticeps, 127.
Tetranychus telarius, 146.
Tipula oleracea, 76.
Tobacco Mosaic Virus infecting Plantains, 147.
Tomatoes :
Damage to Roots by BHC, 105.
Influence of Aphids on Glandular Hairs, 131.
Search for Resistance to *Didymella lycopersici*, 150.
Triaspis floricola, 100, 104.
Tricholaba similis, 72.
Tulip Eelworm Surveys in 1955, 77.
Turnip Gall Weevil Control, 111.

Valeriana officinalis, 93.
Vanda spp., 54.
Venturia inaequalis, 1, 119.
Vetch Leaf Midge in the East Midlands, 69.
Virus Diseases :
Fernleaf of Tomatoes, 132.
Lucerne Mosaic Virus in Potatoes, 133.
Sugar Beet Virus Yellows, 130.
Symptoms of 24 Viruses on *Chenopodium amaranticolor*, 58.
Tobacco Mosaic in Plantains, 147.

Weather of England and Wales : Spring and Summer, 1955, 37 ; Autumn and Winter, 1955–56, 113.
Wheat :
Black Rust in England and Wales, 1955, 38.
Ergot, 76.
Loose Ear, 94.
Spread of Take-all in, 106.
Wheat Stem Fly : Observations, with Special Reference to Oviposition, 123.
White Oil Emulsion for Control of Cocksfoot Moth, 18.
White Rot in Onions ; Control of, 60.
Wireworm Control in Potatoes, 9.

(68687) Wt. 46 1,125 3/57 Hw.